

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/611,991	07/03/2003	Takahiro Kitano	KPO-164/DIV	3407		
23353	7590 02/03/2004		EXAM	EXAMINER		
	SHMAN & GRAUER	TADESSE, YI	TADESSE, YEWEBDAR T			
LION BUILI 1233 20TH S	DING STREET N.W., SUITE 50	ART UNIT	PAPER NUMBER			
WASHINGT	ON, DC 20036		1734			

DATE MAILED: 02/03/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

					0/			
		Application	on No.	Applicant(s)	,			
		10/611,99	91	KITANO ET AL.				
Office Action Summary		Examine		Art Unit				
		Yewebdar	T Tadesse	1734				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
THE MAILING DATE - Extensions of time may be after SIX (6) MONTHS fro - If the period for reply spec - If NO period for reply is specified for reply within the - Any reply received by the	ATUTORY PERIOD FOLE OF THIS COMMUNIC envailable under the provisions of methe mailing date of this communified above is less than thirty (30) secified above, the maximum statuset or extended period for reply with Office later than three months after ment. See 37 CFR 1.704(b).	ATION. 37 CFR 1.136(a). In no evication. days, a reply within the stat tory period will apply and will by statute. cause the app	ent, however, may a reply be tinutory minimum of thirty (30) day ill expire SIX (6) MONTHS fron lication to become ABANDONE	mely filed ys will be considered time n the mailing date of this c ED (35 U.S.C. § 133).	ly. communication.			
1) Responsive to	communication(s) filed	on			,			
2a) This action is	FINAL. 2b)⊠ This action is n	on-final.					
3)☐ Since this app closed in acco	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims								
4a) Of the abo 5)⊠ Claim(s) <u>18</u> is 6)⊠ Claim(s) <u>16,1</u> 7)⊠ Claim(s) <u>20</u> is	 Claim(s) 16-25 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. Claim(s) 18 is/are allowed. Claim(s) 16,17,19 and 21-25 is/are rejected. Claim(s) 20 is/are objected to. Claim(s) are subject to restriction and/or election requirement. 							
Application Papers								
10)☐ The drawing(s Applicant may t Replacement d	on is objected to by the) filed on is/are: not request that any object rawing sheet(s) including to	a) accepted or by ion to the drawing(s) l he correction is requir	oe held in abeyance. Se red if the drawing(s) is ol	ee 37 CFR 1.85(a). ojected to. See 37 C				
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. §§ 119 and 120								
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 13) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. a) The translation of the foreign language provisional application has been received. 14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.								
	Cited (PTO-892) 's Patent Drawing Review (PT Statement(s) (PTO-1449) Pap		4) Interview Summar 5) Notice of Informal 6) Other:	y (PTO-413) Paper No Patent Application (PT				

Application/Control Number: 10/611,991

Art Unit: 1734

Double Patenting

1. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

1. Claims 16-17, 19, 21-25 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 13 of U.S. Patent No. 6,616,760 in view of Kitano et al. (US 6,383,948) and Nagashima et al. (US 6,673,155). U.S. Patent No. '760 discloses a film forming unit for discharging a coating solution from a coating solution discharge nozzle toward a substrate to form a layer on a surface of the substrate comprising: a press type pump (diaphragm type pump) supplying the coating solution to the coating solution discharge nozzle, a pressure detector (a displacement gauge) for detecting the amount of press of the press member of the press-type pump (a detection mechanism detecting changes in the amount of push-on of the pump, a controller operating based on a detected value from the displacement gauge (a detecting mechanism). As to claims 16, 19, 21 and 24-25, '760 lacks claiming a transferring mechanism for transferring the nozzle with a transferring controller moving the nozzle along a continuous path, a substrate holding portion for

Application/Control Number: 10/611,991

Art Unit: 1734

horizontally holding the substrate and moving relative the nozzle, a mask member positioned above the substrate and a pressure detector for detecting pressure in flow path for coating solution between the pump and the coating solution discharge nozzle. Kitano et al ('948) discloses (see Figs 1-3 and column 9, lines 14-27) nozzle/wafer driving section 36 having X and Y slider for moving (sliding) the nozzle with a control section C controlling the movement of the nozzle applying coating solution on a surface of the substrate along a continuous path and a substrate holding portion (2) moving relative to the nozzle and a mask member (4) positioned above the substrate. Kitano et al also discloses (see column 18, lines 3-10, column 19, lines 7-14 and Fig 19) pressure-detecting section 124 with a filter F capable of removing air bubbles in flow path between the pump and the nozzle. It would have been obvious at the time the invention was made to include pressure detector with a filter in the flow path for coating solution between the pump and the coating solution discharge nozzle in '760 to apply the desired thickness of the film by monitoring the pressure of the coating solution. It would also be obvious at the time the invention was made to include a transferring mechanism for transferring the nozzle with a transferring controller moving the nozzle along a continuous path, a substrate holding portion moving relative to the nozzle and a mask member positioned above the substrate in '760 to appropriately position the dispensing nozzle above the substrate in uniformly applying a liquid film. As to claim 17, '760 lacks teaching a controller controlling an alarm-generating portion. However, a controller controlling operation of an alarm generating member is well known in the art; for instance - Nagashima et al (US 6,673,155) discloses an alarm mechanism in

Application/Control Number: 10/611,991

Art Unit: 1734

communication with the controller receiving detected signals. It would have been obvious at the time the invention was made to include an alarm generating portion in communication with the controller of '760 receiving the detected change value of the push-on pump to notify the operator about the operation condition so as an appropriate correcting action proceeds. A diaphragm type pump is considered to equivalent to a press-type pump because Kitano et al ('948) teaches (see column 18, lines 3-10, column 19, lines 7-14 and Fig 19) pump (122), which is a press type pump as being a bellow or a diaphragm pump. As to claim 22, '760 lacks teaching a mixing tank for mixing a coating solution of high viscosity. Kitano et al ('948) teaches (see Fig 16 and column 16, lines 1-28) mixing apparatus 50 for generating resist having different viscosity. It would have been obvious at the time the invention was made to include a mixing tank for mixing a coating solution of high viscosity in '760 to change viscosity of the resist appropriately as taught by Kitano et al ('948). As to claim 23, in '760 the coating solution is capable of being a resist solution.

Allowable Subject Matter

- 2. Claim 18 is allowed.
- 3. Claim 20 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Page 5

Application/Control Number: 10/611,991

Art Unit: 1734

- The following is a statement of reasons for the indication of allowable subject 4. matter: Takeshita et al (US 6,248,168) discloses (see Fig 29) a film forming apparatus having a cleaning portion (453) for cleaning the coating solution discharge nozzle (450), wherein the nozzle is moved above the cleaning portion. However, Takeshita et al does not disclose a press type pump in communication with the cleaning portion. Prior art of record does not disclose or suggest a film forming unit for discharging a coating solution toward a substrate to form a layer on a surface of the substrate, comprising: among others, a press type pump sending the coating solution to the discharge nozzle, a cleaning portion for cleaning the coating solution discharge nozzle, wherein the coating solution discharge nozzle being moved to the cleaning portion by the drive mechanism for cleaning of the coating solution discharge nozzle when the amount of press of the press member of the press type pump goes out of a preset reference range. As to claim 20. Prior art of record does not disclose or suggest a film forming unit for discharging a coating solution toward a substrate to form a layer on a surface of the substrate, comprising: among others, a press type pump sending the coating solution to the discharge nozzle, a pressure detector for detecting pressure in a flow path of the coating solution between the press type pump and the coating solution discharge nozzle and a filter provided in the flow path for removing air bubbles from the coating solution, wherein the filter is made of a porous resin.
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yewebdar T Tadesse whose telephone number is (571)

Art Unit: 1734

272-1238. The examiner can normally be reached on Monday-Friday 8:00 AM-4: 30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (571) 272-1226. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Levelolae Pr

RICHARD CRISPINO SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1700